



Tambopata Factsheet

WEATHER CONDITIONS

The lowland rain forests of the Tambopata lie far enough south of the Equator to provide a cooler, drier season between May and October, which also happens to be the high season. The general weather conditions, are warm and humid. In Tambopata the average daytime high temperature is between 25° and 31°C and the average nighttime low is between 16° and 22°C.

However, cold fronts from Argentina can sometimes sweep into southwestern Amazonia and reduce daytime temperatures to 9° C and the night time temperatures down to as low as 5° C. During the rainy season from November through to April, always be prepared for heavy rain that may continue for hours or even days. Around 80% of the annual average rainfall of 2000mm occurs during this season.

WHAT TO BRING

We recommend that you bring good binoculars; a camera, light weight, light colored, long cotton pants; long sleeved light colored cotton shirts; underwear; absorbent socks; ankle-high hiking boots; sneakers; a powerful flashlight with batteries; a small toiletries bag; a water bottle; sun block lotion; sunglasses; a broad-brimmed hat; 100% waterproof clothing; insect repellent; yellow fever vaccination certificate; small denomination bills and a small daypack.

MEDICAL INFORMATION

Yellow fever vaccination is required for traveling into the Tambopata. It is necessary that you bring your yellow fever inoculation certificate to prove to the airport officials in Puerto Maldonado that you are vaccinated. However you are rarely requested for this information.

Leishmaniasis is present throughout the rain forests of southeastern Peru. It is a skin lesion caused by a protozoan transmitted by a certain species of biting fly. There is no vaccination against it but it is curable in every case. The selected cure, injections of pentavalent antimony (Glucantime), is uncomfortable. Leishmaniasis is also **very easy to prevent** by wearing long-sleeved shirts, pants, and repellent on exposed skin at all times, as well as sleeping under mosquito nets. If you are interested in receiving complete information on leishmaniasis, please do not hesitate to contact us before your trip. For precautions against malaria consult your physician or a specialist in tropical medicine. The Tambopata is a non-malarial risk zone. It is vital that persons with medical problems or special dietary requirements make this known to us before departure.

COMMUNICATIONS

Most of the lodges in the Tambopata Research Center are in daily radio contact with Puerto Maldonado but there are a few that are too isolated for contact. In some cases, cellular phones will have a signal when standing on the top of any one canopy tower in the Tambopata.

PASSPORTS, MONEY, AIR TICKETS

You will need your passport upon arrival at Puerto Maldonado in the event that the authorities may want to check tourist entry requirements as the local airport is officially an international airport. Upon arrival, you

will be met by your representative who will collect your domestic air tickets to confirm your return flights. If you have not paid for the park entry fee (\$30) this will also be collected. (This fee is sometimes included in the price of your trip). At the end of the trip, your representative will collect cash from you to pay for the airport tax.

MEALS

All meals are provided during the trip. Meals consist of soup or appetizers, salad, main course, dessert, and coffee or tea. All fresh fruits and salads are thoroughly disinfected before serving. We also provide at all times unlimited amounts of boiled, cooled drinking water. If any visitor has special dietary requirements, we are happy to make individual arrangements, but please notify us prior to the start of your tour.

ACCOMMODATION

Many of the lodges are located on the banks of the Tambopata River in the grounds of the Community, adjacent to the Tambopata National Reserve. They are normally built of traditional native materials (wood, palm fronds, wild cane and clay) and architecture and modern day eco-lodge technology. The lodges themselves consist of a complex of rooms, dining area and kitchen, relaxation area and internal support facilities. The rooms are 7 x 4 metres and can comfortably hold three beds, although they are set up for two sharing. The walls dividing each room are built using cane and clay, and extend from the floor to about 2.5 meters height making each room private. The combination of clay and cane achieves two important objectives: regulating heat and providing an aesthetic appearance. However, sounds can be heard from room to room. Mosquitoes are not really a problem around the lodge clearing. Beds are well sized (1.05m X 2.05m) with mosquito nets. Each room has a private bathroom with cold water only. Rooms and bathrooms are separated by drapes or wooden doors.

ACCOMMODATION AT THE TAMBOPATA RESEARCH CENTER

The Tambopata Research Center is located in a half hectare clearing 50 metres from the Tambopata River and 300 meters from the macaw clay lick. It is composed of four interconnected, thatch-roofed buildings. All buildings and interconnecting passageways are raised on four-foot stilts built from palm trunks. The main building is a 33 foot by 100 foot platform divided into 13 double rooms. Each bedroom is furnished with two beds draped in mosquito nets, a chair, a night table with a kerosene wind lamp, and a table for luggage and clothing. Each room does not have a wall on the side that looks into the forest: it is also designed to have an optional, permanent, clear view of the forest surrounding the clearing in order to maximize wildlife observation. To the left of the main building a 20 foot-long, roofed passageway connects to the bathrooms containing flush toilets and shower stalls. To the right of the main building a 15 foot-long, roofed passageway connects to the dining room and meeting room which in turn is connected to the kitchen.

ELECTRICITY

Few lodges or the Tambopata Research Center have electricity. Some lodges have a generator in the dining areas. Light is normally provided by numerous kerosene lamps and candles. At night it is very dark, so good flashlights with spare batteries are recommended.

TRAVEL BY BOAT

The boats are 20 foot long motorized canoes with foldable couched seats and a roof. They are powered by outboard motors which allow for a travel time varying from half an hour to three hours depending on the lodge. The Tambopata Research Centre is a further few hours upriver from the lodges. Passengers are protected by the sun and rain by a roof but we suggest keeping your rain gear and sun block with you nevertheless. Life vests are provided with every seat.

EMERGENCIES

In case of emergencies there are first aid kits equipped to deal with most cases that may reasonably arise in the area. For snake bites, unheard of in the Tambopata so far, we have a stun gun, extractors and an anti-venom at the lodges.

EMERGENCY CONTACT

In case of an emergency back home, friends or family may contact you through our office in Cuzco 7 days a week.

- Telephone: + 51 84 262720,
- Fax: + 51 84 247226
- Mobile phone, Operations Department, Carla Nue: (+51) 849609604
- Address : Av. Tullumayo 213, Cuzco

ABOUT PUERTO MALDONADO

Puerto Maldonado is a small jungle town of approximately 50,000 people where life slowly ebbs by but with few attractions.

Good restaurants include: Pizzeria Chez Maggy (pizzas) on the Main Square, La Casa Nostra (sandwiches and snacks) on Leon Velarde 515, El Califa (local food) on Piura 266.

For tourism information Ministerio de Industria y Turismo (phone: 57-1413, 57-1164, 57-1421, Fitzcarrald 411) offers information. There is also a desk at the airport.

Taxis are three wheeled motorcycles with a back seat. They charge half a dollar for most rides (\$2 to the airport.).

The post office, Serpost, is located at Av León Velarde 6th block. The Telefónica office is on the 7th block of Puno. Internet access is available at Compunet or Data System, both of which can be found on Leon Velarde.

Banco de Crédito has a Visa ATM and will change US cash without a commission. Banco de la Nación gives cash on MasterCard and reasonable rates for traveler's cheques. Both banks are located on the Plaza de Armas. There are money exchange houses on Calle Puno.

For medical emergencies, Hospital Santa Rosa (phone: 57-1019/57-1046) is located at Cajamarca 171 and Essalud is located at Cajamarca 341, Tel 571440. Pharmacies are found throughout the town.

WILDLIFE OBSERVATION IN THE RAIN FOREST

The Tambopata Candamo is one of the world's most diverse wildlife areas and one of the best preserved. However, the vast majority of the rain forest's diversity is in the form of insects. The world record diversities of birds and mammals, are mostly in the form of small species. Larger species are rare, shy, unpredictable and very difficult to see, with a few notable exceptions. So do not expect the wildlife of the African savannah. (A group who came with us last year observed a puma swimming in the river for a few minutes before gracefully emerging onto the bank. A spectacular but rare sight).

Nevertheless, these exciting encounters do occur on a regular basis. At the Tambopata Research Center, you will also have some of the Amazon's best chances of seeing jaguar, tapir, giant river otters, harpy eagles, macaws, etc For detailed descriptions species and encounter rates, please contact us for further information.

Another important factor to bear in mind is that when you do encounter wildlife, you will not always have a clear, ample field of view. Perhaps your vision will be limited to observing wildlife through branches, leaves, and dense vegetation, flying or leaping away from you. Another extraordinary encounters was of a jaguar

eating a dead tapir, and only 20 metres away. This was witnessed for 15 minutes by 8 people. Another one was of a jaguar sleeping on the beach in front of the Tambopata Research Centre. This incident was even filmed by a BBC film crew.

Do not expect wildlife to be encountered everyday. Come with your mind and your eyes open. You will be in a place where every horizontal and vertical meter of forest probably has hundreds of species of organisms, different from one metre to the next.

BIRDWATCHING AND TAMBOPATA

A typical week long trip to Tambopata, with a good birding guide, should yield around two-three hundred species. When travelling with an interest in birdwatching, i.e. when you want to dedicate most of your day to actively seeking and identifying birds, please let us know beforehand so that we can assign an appropriate guide. The Tambopata Research Center is a superior area for bird watching as it offers a greater variety of habitat at accessible distances, and more importantly, it is located in forests that have been un-hunted for decades, thus harboring substantial populations of large birds such as guan, currasow, macaws, etc. If you do not have the minimum five days required for a solid Tambopata Research Center itinerary, then many lodges offer good three or four day substitute programmes. From lake birds, a canopy tower and parrot clay licks.

PHOTOGRAPHY IN TAMBOPATA

The Amazon, with its magnificent scenery and diversity of fauna and flora is a photographer's paradise. However it is a challenging environment for nature and wildlife photography. The first challenge photographers will face is with their camera equipment. Even before the first wildlife encounter, you will have to deal with elements that can cause havoc with your camera equipment. The high level of humidity, the ever changing weather conditions and even plastic-melting insect repellent will be a challenge to even the most reliable equipment.

The second challenge comes in the form of the wildlife. Even though many tourists/photographers have left the lodges with some very good images of macaws and river otters, this is because of good luck and being at the right place at the right time. Photography in the rain forest is a difficult process and requires patience. It is an unrealistic reaction to believe that a person with a good camera and some powerful zoom lenses can achieve excellent results in a visit of a few days. In general, you will require lenses above 300 mm to produce good wildlife photography. ASA 200 film or above is recommended for the rain forest where it tends to be dark. For macro-photography, a flash will normally be required. To make sure your equipment is protected from the elements, we recommend the use of river bags and/or waterproof camera cases. The use of dry bags and silicon gel are highly recommended to alleviate the problem with humidity, rain and the occasional water splashing in the canoe during the trips on the river. The use of a tripod at the clay lick is recommended and lenses ranging from 500mm to 1000mm are necessary for the clay lick. The use of flash is not permitted when photographing the macaws at close range.

Bird List

Tinamus major	Great tinamou
T. tao	Gray Tinamou
T. osgoodi	Black Tinamou
T. guttatus	White Throated Tinamou
Crypturellus cinereus	Cinereous Tinamou
C. soui	Little Tinamou
C. bartletti	Bartlett's Tinamou
C. obsoletus	Brown Tinamou
C. atrocapillus	Black-capped Tinamou
C. undulatus	Undulated Tinamou
C. variegatus	Variegated Tinamou
C. parvirostris	Small-Billed Tinamou

C.strigulosus	Brazilian Tinamou
	Grebes
Podiceps dominicus	Least Grebe
	Cormorants
Phalacrocorax olivaceus	Neotropic Cormorant
	Darters
Anhinga anhinga	Anhinga
	Herons,Egrets,Bitterns
Ardea cocoi	White Necked Heron
Egretta alba	Great Egret
Egretta thula	Snowy Egret
Egretta caerulea	Little Blue Heron
Agamia agami	Chestnut Bellied Heron
Butorides striatus	Striated Heron
Bubulcus ibis	Cattle Egret
Philherodius pileatus	Capped Heron
Zebrilus undulatus	Zigzag Heron
Nycticorax nycticorax	Black-Crowned Night-Heron
Ixobrychus exilis	Least Bittern
Ixobrychus involucris	Stripe-Backed Bittern
Botaurus pinnatus	Pinnated Bittern
Tigrisoma lineatum	Rufescent Tiger Heron
Tigrisoma fasciatum	Fasciated Tiger-Heron
	Boat Billed Herons
Cochlearius cochlearius	Boat-Billed Heron
	Storks
Mycteria americana	American Wood-Stork
Jabiru mycteria	Jabiru
	Ibises
Mesembrinibis cayennensis	Green Ibis
Ajaia ajaja	Roseate Spoonbill
	Screamers
Anhima cornuta	Horned Screamer
Chauna torquata	Southern Screamer
	Ducks,Geese
Cairina moschata	Muscovy Duck
Dendrocygna autumnalis	Black-bellied Whistling-Duck
Oxyura dominica	Masked Duck
Neochen jubata	Orinoco Goose
	Vultures
Sarcoramphus papa	King Vulture
Coragyps atratus	Black Vulture
Cathartes aura	Turkey Vulture
Cathartes melambrotus	Greater Yellow-Headed Vulture
	Kites,Hawks,Eagles
Elanoides forficatus	Swallow-Tailed Kite
Gampsonyx swinsonii	Pearl Kite
Leptodon cayanensis	Gray-Headed Kite

Chondrohierax uncinatus	Hook-Billed Kite
Helicolestes hamatus	Slender-Billed Kite
Harpagus bidentatus	Double-Toothed Kite
Rostrhamus sociabilis	Snail Kite
Ictinia plumbea	Plumbeous Kite
Accipiter striatus	Sharp-Shinned Hawk
Accipiter bicolor	Bicolored Hawk
Accipiter superciliosus	Tiny Hawk
Buteo albonotatus	Zone-Tailed Hawk
Buteo platypterus	Broad-Winged Hawk
Buteo nitidus	Gray Hawk
Buteo brachyurus	Short-Tailed Hawk
Buteo magnirostris	Roadside Hawk
Leucopternis schistacea	Slate-Colored Hawk
Leucopternis kuhli	White-Browed Hawk
Busarellus nigricollis	Black-Collared Hawk
Buteogallus urubitinga	Great Black Hawk
Harpia harpyja	Harpy Eagle
Morphnus guianensis	Crested Eagle
Spizastur melanoleucus	Black & White Hawk-Eagle
Spizaetus ornatus	Ornate Hawk-Eagle
Spizaetus tyrannus	Black Hawk-Eagle
Geranospiza caerulescens	Crane Hawk
	Ospreys
Pandion haliaetus	Osprey
	Falcons, Caracaras
Micrastur semitorquatus	Collared Forest-Falcon
Micrastur ruficollis	Barred Forest-Falcon
Micrastur gilvicollis	Lined Forest-Falcon
Micrastur mirandollei	Slaty-Backed Forest-Falcon
Daptrius ater	Black Caracara
Daptrius americanus	Red-Throated Caracara
Falco deiroleucus	Orange-Breasted Falcon
Polyborus plancus	Crested Caracara
Milvago chimachima	Yellow-Headed Caracara
Falco ruficularis	Bat Falcon
Herpetotheres cachinnans	Laughing Falcon
	Chachalacas, Guans, Curassows
Ortalis guttata	Speckled Chachalaca
Penelope jacquacu	Spix's Guan
Pipile cumanensis	Common Piping-Guan
Mitu tuberosa	Razor-Billed Curassow
Pauxi unicornis	Horned Curassow
	Wood-Quails
Odontophorus stellatus	Starred Wood-Quail
	Hoatzins
Opisthocomus hoazin	Hoatzin
	Limpkins

Aramus guarauna	Limpkin
	Trumpeters
Psophia leucoptera	Pale-Winged Trumpeter
	Rails,Coots
Aramides cajanea	Gray-Necked Wood-Rail
Rallus nigricans	Blackish Rail
Anurolianas castaneiceps	Chesnut-Headed Crake
Laterailus exilis	Gray-Breasted Crake
Laterailus melanophaius	Rufous-Sided Crake
Neocrex erythrops	Paint-Billed Crake
Porphyryla martinica	Purple Gallinule
Porphyryla flavirostris	Azure Gallinule
	SunGrebes
Heliornis fulica	SunGrebe
	Sunbittern
Eurypyga helias	Sunbittern
	Jacanas
Jacana jacana	Wattled Jacana
	Lapwings,Plovers
Vanellus chilensis	Southern LapWing
Vanellus resplendens	Andean LapWing
Hopoxypterus resplendens	Pied LapWing
Charadrius collaris	Collared Plover
	Sandpipers
Tringa solitaria	Solitary Sandpiper
Tringa flavipes	Lesser Yellowleg
Tringa melanoleuca	Greater Yellowleg
Actitis macularia	Spotted Sandpiper
Calidris fuscicollis	White-Rumped Sandpiper
Calidris melanotos	Pectoral Sandpiper
Tryngites subruficollis	Buff-Breasted Sandpiper
Bartramia longicauda	Upland Sandpiper
	Gulls,Terns
Larus pipixcan	Franklin's Gull
Chlidonias niger	Black Tern
Phaetusa simplex	Large-Billed Tern
Sterna superciliaris	Yellow-Billed Tern
	Skimmers
Rynchops nigra	Black Skimmer
	Pigeons,Doves
Columba cayennensis	Pale-Vented Pigeon
Columba plumbea	Plumbeous Pigeon
Columba speciosa	Scaled Pigeon
Columba subvinacea	Ruddy Pigeon
Columbina picui	Picui Ground-Dove
Columbina talpacoti	Ruddy Ground-Dove
Leptotila verreauxi	White-Tipped Dove
Leptotila rufaxilla	Gray-Fronted Dove

<i>Claravis pretiosa</i>	Blue Ground-Dove
<i>Geotrygon saphirina</i>	Sapphire Quail-Dove
<i>Geotrygon montana</i>	Ruddy Quail-Dove
	Macaws,Parrots,Parakeets
<i>Ara ararauna</i>	Blue&Yellow Macaw
<i>Ara macao</i>	Scarlet Macaw
<i>Ara chloroptera</i>	Red&Green Macaw
<i>Ara severa</i>	Chestnut-Fronted Macaw
<i>Ara manilata</i>	Red-Bellied Macaw
<i>Ara couloni</i>	Blue-Headed Macaw
<i>Aratinga leucophthalmus</i>	White-Eyed Parakeet
<i>Aratinga weddellii</i>	Dusky-Headed Parakeet
<i>Pyrrhura picta</i>	Painted Parakeet
<i>Pyrrhura rupicola</i>	Rock Parakeet
<i>Forpus sclateri</i>	Dusky-Billed Parrotlet
<i>Brotogeris sanctithomae</i>	Tui Parakeet
<i>Brotogeris cyanoptera</i>	Cobalt-Winged Parakeet
<i>Pionites leucogaster</i>	White-Bellied Parrot
<i>Pionopsitta barrabandi</i>	Orange-Cheeked Parrot
<i>Pionus menstruus</i>	Blue-Headed Parrot
<i>Amazona ochrocephala</i>	Yellow-Headed Parrot
<i>Amazona farinosa</i>	Mealy Parrot
<i>Touit huetii</i>	Scarlet-Shouldered Parrotlet
<i>Nannopssittaca d' achilli</i>	Amazonian Parrotlet
	Cuckoos,Anis
<i>Coccyzus cinereus</i>	Ash-Colored Cuckoo
<i>Coccyzus melacoryphus</i>	Dark-Billed Cuckoo
<i>Coccyzus erythrophthalmus</i>	Black-Billed Cuckoo
<i>Coccyzus americanus</i>	Yellow-Billed Cuckoo
<i>Crotophaga ani</i>	Smooth-Billed Ani
<i>Crotophaga major</i>	Greater Ani
<i>Dromococcyx pavoninus</i>	Pavonine Cuckoo
<i>Dromococcyx phasianellus</i>	Pheasant Cuckoo
<i>Piaya minuta</i>	Little Cuckoo
<i>Piaya cayana</i>	Squirrel Cuckoo
<i>Piaya melanogaster</i>	Black-Bellied Cuckoo
<i>Neomorphus geoffroyi</i>	Rufous-Vented Ground-Cuckoo
<i>Tapera naevia</i>	Striped Cuckoo
	Owls
<i>Otus watsonii</i>	Tawny-Bellied Screech-Owl
<i>Otus guatemalae</i>	Vermiculated Screech-Owl
<i>Otus choliba</i>	Tropical Screech-Owl
<i>Bubo virginianus</i>	Great Horned Owl
<i>Lophostrix cristata</i>	Crested Owl
<i>Pulsatrix perspicillata</i>	Spectacled Owl
<i>Pulsatrix melanota</i>	Band-Bellied Owl
<i>Glaucidium Hardyi</i>	Least Pygmy-Owl
<i>Glaucidium brasilianum</i>	Ferruginous Pygmy-Owl

<i>Ciccaba virgata</i>	Mottled Owl
<i>Ciccaba huhula</i>	Black-and-white Owl
<i>Rhinoptynx clamator</i>	Striped Owl
	Potoos
<i>Nyctibius grandis</i>	Great Potoo
<i>Nyctibius griseus</i>	Common Potoo
<i>Nyctibius bracteatus</i>	Rufous Potoo
<i>Nyctibius aethereus</i>	Long-tailed Potoo
	NightHawks, NightJars
<i>Lurocalis semitorquatus</i>	Semicollard NightHawk
<i>Caprimulgus rufus</i>	Rufous NightJar
<i>Caprimulgus parvulus</i>	Little NightJar
<i>Chordeiles rupestris</i>	Sand-Colored NightHawk
<i>Nyctidromus albicollis</i>	Pauraque
<i>Nyctiphrynus ocellatus</i>	Ocellated Poorwill
<i>Hydropsalis climacocerca</i>	Ladder-Tailed NightJar
<i>Chordeiles acutipennis</i>	Lesser NightHawk
<i>Chordeiles minor</i>	Common NightHawk
	Swifts
<i>Streptoprocne zonaris</i>	White-Collared Swift
<i>Chaetura cinereiventris</i>	Gray-Rumped Swift
<i>Chaetura egregia</i>	Pale-Rumped Swift
<i>Chaetura chapmani</i>	Chapman's Swift
<i>Chaetura brachyura</i>	Short-Tailed Swift
<i>Cypseloides rutilus</i>	Chestnut-Collared Swift
<i>Cypseloides (cryptus)</i>	(White-Chinned) Swift
<i>Panyptila cayennensis</i>	Lesser Swallow-Tailed Swift
<i>Reinarda squamata</i>	Fork-Tailed Palm-Swift
	HummingBirds
<i>Glaucis hirsuta</i>	Rufous-Breasted Hermit
<i>Threnetes leucurus</i>	Pale-Throated Barbthroat
<i>Phaethornis philippi</i>	Neddle-Billed Hermit
<i>Phaethornis superciliosus</i>	Long-Tailed Hermit
<i>Phaethornis hispidus</i>	White-Bearded Hermit
<i>Phaethornis ruber</i>	Reddish Hermit
<i>Campylopterus largipennis</i>	Gray-Breasted Sabrewing
<i>Florisuga mellivora</i>	White-Necked Jacobin
<i>Anthracothorax nigricollis</i>	Black-Throated Mango
<i>Lophornis chalybea</i>	Festive Coquette
<i>Chlorostilbonsins mellisugis</i>	Blue-Tailed Emerald
<i>Thalurania furcata</i>	Fork-Tailed Woodnymph
<i>Hylocharis cyanus</i>	White-Chinned Sapphire
<i>Chrysuronia oenone</i>	Golden-Tailed Sapphire
<i>Polyplancta aurescens</i>	Gould's Jewelfront
<i>Heliomaster longirostris</i>	Long-Billed Starthroat
<i>Klais guimeti</i>	Violet-Headed HummingBird
<i>Eutoxeres condensini</i>	Buff-Tailed SickLebill
<i>Calliphlox amethystina</i>	Amethyst Woodstar

<i>Heliodytes aurita</i>	Black-Eared Fairy
<i>Amazilia lactea</i>	Sapphire-Spangled Emerald
	Trogons
<i>Pharomachus pavoninus</i>	Pavonine Quetzal
<i>Trogon melanurus</i>	Black-Tailed Trogon
<i>Trogon viridis</i>	White-Tailed Trogon
<i>Trogon collaris</i>	Collared Trogon
<i>Trogon rufus</i>	Black-Throated Trogon
<i>Trogon curucui</i>	Blue-Crowned Trogon
<i>Trogon violaceus</i>	Violaceous Trogon
	Kingfishers
<i>Ceryle torquata</i>	Ringed Kingfisher
<i>Chloroceryle amazona</i>	Amazon Kingfisher
<i>Chloroceryle americana</i>	Green Kingfisher
<i>Chloroceryle inda</i>	Green&Rufous Kingfisher
<i>Chloroceryle aenea</i>	Pygmy Kingfisher
	Motmots
<i>Baryphengus ruficapillus</i>	Rufous Motmot
<i>Momotus momota</i>	Blue-Crowned Motmot
<i>Electron platyrhynchum</i>	Broad-Billed Motmot
	Jacamars
<i>Brachygalba albogularis</i>	White-Throated Jacamar
<i>Galbula dea</i>	Paradise Jacamar
<i>Galbula cyanescens</i>	Bluish-Fronted Jacamar
<i>Jacamerops aurea</i>	Great Jacamar
	Puffbirds
<i>Notharchus macrorhynchos</i>	White-Necked Puffbird
<i>Notharchus ordii</i>	Brown-Banded Puffbird
<i>Notharchus tectus</i>	Pied Puffbird
<i>Bucco macrodactylus</i>	Chestnut-Capped Puffbird
<i>Bucco capensis</i>	Collared Puffbird
<i>Nystalus striolatus</i>	Striolated Puffbird
<i>Malacoptila semicincta</i>	Semicollared Puffbird
<i>Nonnula ruficapilla</i>	Gray-Cheeked Nunlet
<i>Monasa flavirostris</i>	Yellow-Billed Nunbird
<i>Monasa nigrifrons</i>	Black-Fronted Nunbird
<i>Monasa morphoeus</i>	White-Fronted Nunbird
<i>Chelidoptera tenebrosa</i>	Swallow Winged Puffbird
	Barbets
<i>Capito niger</i>	Black-Spotted Barbet
<i>Eubucco tucinkae</i>	Scarlet-Hooded Barbet
<i>Eubucco richardsoni</i>	Lemon-Throated Barbet
	Toucans, Aracaris
<i>Aulacorhynchus prasinus</i>	Emerald Toucanet
<i>Pteroglossus castanotis</i>	Chestnut-Eared Aracari
<i>Pteroglossus inscriptus</i>	Lettered Aracari
<i>Pteroglossus flavirostris</i>	Ivory-Billed Aracari
<i>Pteroglossus mariae</i>	Bron-Mandibled Aracari

<i>Pteroglossus beauharnaesii</i>	Curl-Crested Aracari
<i>Selenidera reinwardtii</i>	Golden-Collared Toucanet
<i>Ramphastos culminatus</i>	Yellow-Ridged Toucan
<i>Ramphastos tucanus</i>	White-Throated
	Piculets, Woodpeckers
<i>Picumnus rufiventris</i>	Rufous-Breasted Piculet
<i>Picumnus borbae</i>	Bar-Breasted Piculet
<i>Piculus leucolaemus</i>	White-Throated WoodPecker
<i>Chrysoptilus puntigula</i>	Spot-Breasted WoodPecker
<i>Piculus chrysochlorus</i>	Golden-Green WoodPecker
<i>Piculus flavigula</i>	Yellow-Throated WoodPecker
<i>Celeus elegans</i>	Chestnut WoodPecker
<i>Celeus grammicus</i>	Scale-Breasted WoodPecker
<i>Celeus flavus</i>	Cream-Colored WoodPecker
<i>Celeus spectabilis</i>	Rufous-Headed WoodPecker
<i>Celeus torquatus</i>	Ringed WoodPecker
<i>Dryocopus lineatus</i>	Lineated WoodPecker
<i>Melanerpes cruentatus</i>	Yellow-Tufted WoodPecker
<i>Veniliornis passerinus</i>	Little WoodPecker
<i>Veniliornis affinis</i>	Red-Stained WoodPecker
<i>Campephilus melanoleucos</i>	Crimson-Crested WoodPecker
<i>Campephilus rubicollis</i>	Red-Necked WoodPecker
	WoodCreeper
<i>Dendrocincla fuliginosa</i>	Plain-Brown WoodCreeper
<i>Dendrocincla merula</i>	White-Chinned WoodCreeper
<i>Dechonychura longicauda</i>	Long-Tailed WoodCreeper
<i>Sittasomus griseicapillus</i>	Olivaceous WoodCreeper
<i>Glyphorhynchus spirurus</i>	Wedge-Billed WoodCreeper
<i>Nasica longirostris</i>	Long-Billed WoodCreeper
<i>Hylexetastes stresemanni</i>	Bar-Bellied WoodCreeper
<i>Dendrexetastes rufigula</i>	Cinnamon-Throated WoodCreeper
<i>Xiphocolaptes promerophirhynchus</i>	Strong-Billed WoodCreeper
<i>Dendrocolaptes certhia</i>	Barred WoodCreeper
<i>Dendrocolaptes picumnus</i>	Black-Banded WoodCreeper
<i>Xiphorhynchus obsoletus</i>	Striped WoodCreeper
<i>Xiphorhynchus ocellatus</i>	Oscellated WoodCreeper
<i>Xiphorhynchus picus</i>	Straight-Billed WoodCreeper
<i>Xiphorhynchus spixii</i>	Spix's WoodCreeper
<i>Xiphorhynchus guttatus</i>	Buff-Throated WoodCreeper
<i>Lepidocolaptes albolineatus</i>	Lineated WoodCreeper
<i>Campylorhamphus trochilirostris</i>	Red-Billed Scythebill
<i>Campylorhamphus pusillus</i>	Brown-Billed Scythebill
	Spinetails, Foliage-Gleaners, etc
<i>Furnarius leucopus</i>	Pale-Legged Ovenbird
<i>Synallaxis cabanisi</i>	Cabanis' Spinetail
<i>Synallaxis albescens</i>	Pale-Breasted Spinetail
<i>Synallaxis albigularis</i>	Dark-Breasted Spinetail
<i>Synallaxis gujanensis</i>	Plain-Crowned Spinetail

<i>Synallaxis rutilans</i>	Ruddy Spinetail
<i>Certhiaxis cinnamomea</i>	Yellow-Chinned Spinetail
<i>Cranioleuca gutturata</i>	Speckled Spinetail
<i>Cranioleuca curtata</i>	Ash-Browed SpineTail
<i>Thripophaga fusciceps</i>	Plain Softail
<i>Berlepschia rickeri</i>	Point-Tailed PalmCreeper
<i>Hyloctistes subulatus</i>	Striped WoodHaunter
<i>Ancistrops strigilatus</i>	Chestnut-Winged HookBill
<i>Simoxenops ucayalae</i>	Peruvian Recurvebill
<i>Philydor erythrocerus</i>	Rufous-Rumped Foliage-Gleaner
<i>Philydor pyrroides</i>	Cinnamon-Rumped Foliage-Gleaner
<i>Philydor rufus</i>	Buff-Fronted Foliage-Gleaner
<i>Philydor erythropterus</i>	Chestnut-Winged Foliage-Gleaner
<i>Philydor ruficaudatus</i>	Rufous-Tailed Foliage-Gleaner
<i>Automolus infuscatus</i>	Olive-Backed Foliage-Gleaner
<i>Automolus dorsalis</i>	Crested Foliage-Gleaner
<i>Automolus rubiginosus</i>	Ruddy Foliage-Gleaner
<i>Automolus ochrolaemus</i>	Buff-Throated Foliage-Gleaner
<i>Automolus rufipileatus</i>	Chestnut-Crowned Foliage-Gleaner
<i>Automolus melanopezus</i>	Brown-Rumped Foliage-Gleaner
<i>Xenops milleri</i>	Rufous-Tailed Xenops
<i>Xenops tenuirostris</i>	Slender-Billed Xenops
<i>Xenops rutilans</i>	Streaked Xenops
<i>Xenops minutus</i>	Plain Xenops
<i>Sclerurus mexicanus</i>	Tawny-Throated LeafTosser
<i>Sclerurus caudacutus</i>	Black-Tailed LeafTosser
<i>Sclerurus albigularis</i>	Gray-Throated LeafTosser
	AntBirds
<i>Cymbilaimus lineatus</i>	Fasciated Antshrike
<i>Cymbilaimus sanctaemariae</i>	Bamboo Antshrike
<i>Taraba major</i>	Great Antshrike
<i>Thamnophilus doliatus</i>	Barred Antshrike
<i>Thamnophilus aethiops</i>	White-Shouldered Antshrike
<i>Thamnophilus palliatus</i>	Lined Antshrike
<i>Thamnophilus schistaceus</i>	Black-Capped Antshrike
<i>Thamnophilus amazonicus</i>	Amazonian Antshrike
<i>Pygiptila stellaris</i>	Spot-Winged Antshrike
<i>Thamnistes anabatinus</i>	Russet Antshrike
<i>Dysithamnus mentalis</i>	Plain Antwren
<i>Neotantes niger</i>	Black BushBird
<i>Thamnomanes ardesiacus</i>	Dusky-Throated Antshrike
<i>Thamnomanes schistogynus</i>	Bluish-Slate Antshrike
<i>Myrmotherula brachyura</i>	Pygmy Antwren
<i>Myrmotherula longicauda</i>	Stripe-Chested Antwren
<i>Myrmotherula surinamensis</i>	Streaked Antwren
<i>Myrmotherula sclateri</i>	Sclater's Antwren
<i>Myrmotherula hauxwelli</i>	Plain-Throated Antwren
<i>Myrmotherula leucophthalma</i>	White-Eyed Antwren

<i>Myrmotherula ornata</i>	Ornate Antwren
<i>Myrmotherula axillaris</i>	White-Flanked Antwren
<i>Myrmotherula longipennis</i>	Long-winged Antwren
<i>Myrmotherula iheringi</i>	Ihering's Antwren
<i>Myrmotherula menetriesii</i>	Gray Antwren
<i>Dichrozona cincta</i>	Banded Antbird
<i>Microrhophias quixensis</i>	Dot-Winged Antwren
<i>Drymophila devillei</i>	Striated Antbird
<i>Terenura humeralis</i>	Chestnut-Shouldered Antwren
<i>Cercomacra cinerascens</i>	Gray Antbird
<i>Cercomacra serva</i>	Black Antbird
<i>Cercomacra nigrescens</i>	Blackish Antbird
<i>Cercomacra manu</i>	Manu Antbird
<i>Myrmoborus leucophrys</i>	White-Browed Antbird
<i>Myrmoborus myotherinus</i>	Black-Faced Antbird
<i>Hypocnemis cantator</i>	Warbling Antbird
<i>Hypocnemoides maculicauda</i>	Band-Tailed Antbird
<i>Percnostola lophotes</i>	White-Lined Antbird
<i>Sclateria naevia</i>	Silvered Antbird
<i>Myrmeciza hemimelaena</i>	Chestnut-Tailed Antbird
<i>Myrmeciza hyperythra</i>	Plumbeous Antbird
<i>Myrmeciza goeldii</i>	Goeldi's Antbird
<i>Myrmeciza fortis</i>	Sooty Antbird
<i>Myrmeciza atrothorax</i>	Black-Throated Antbird
<i>Gymnopithys salvini</i>	White-Throated Antbird
<i>Hylophylax naevia</i>	Spot-Backed Antbird
<i>Hylophylax poecilonota</i>	Scale-Backed Antbird
<i>Herpsilochmus rufimarginatus</i>	Rufous-Winged Antwren
<i>Rhegmatorhina melanosticta</i>	Hairy-Crested Antbird
<i>Phlegopsis nigromaculata</i>	Black-Spotted Bare-Eye
<i>Chamaeza nobilis</i>	Noble Antthrush
<i>Formicarius colma</i>	Rufous-Capped Antthrush
<i>Formicarius analis</i>	Black-Faced Antthrush
<i>Formicarius rufifrons</i>	Rufous-Fronted Antthrush
<i>Hylopezus berlepschi</i>	Amazonian Antpitta
<i>Myrmothera campanisona</i>	Thrush-Like Antpitta
<i>Conopophaga peruviana</i>	Ash-Throated Gnateater
	Tyrant-Flycatchers
<i>Zimmerius gracilipes</i>	Slender-Footed Tyrannulet
<i>Ornithion inerme</i>	White-Lored Tyrannulet
<i>Camptostoma obsoletum</i>	Southern Beardless Tyrannulet
<i>Phaeomyias murina</i>	Mouse-Colored Tyrannulet
<i>Phylloscartes orbitalis</i>	Spectacled Bristle-Tyrant
<i>Phylloscartes sp. nov.</i>	sp. Tyrannulet
<i>Tyrannulus elatus</i>	Yellow-Crowned Tyrannulet
<i>Myiopagis gaimardii</i>	Forest Elaenia
<i>Myiopagis viridicata</i>	Greenish Elaenia
<i>Myiopagis caniceps</i>	Gray Elaenia

<i>Sublegatus obscurior</i>	Todd's Or Dusky Flycatcher
<i>Sublegatus modestus</i>	Scrub Flycatcher
<i>Elaenia spectabilis</i>	Large Elaenia
<i>Elaenia parvirostris</i>	Small-Billed Elaenia
<i>Elaenia strepera</i>	Slaty Elaenia
<i>Elaenia gigas</i>	Mottle-Backed Elaenia
<i>Pseudocoloptryx acutipennis</i>	Subtropical Doradito
<i>Euscarthmus meloryphus</i>	Tawny-Crowned Pygmy-Tyrant
<i>Inezia inornata</i>	Plain Tyrannulet
<i>Mionectes olivaceus</i>	Olive-Striped Flycatcher
<i>Mionectes oleaginea</i>	Ochre-Bellied Flycatcher
<i>Mionectes macconnelli</i>	McConnell's Flycatcher
<i>Leptopogon amaurocephalus</i>	Sepia-Capped Flycatcher
<i>Corythopsis torquata</i>	Ringed Antpipit
<i>Lophotriccus eulophotes</i>	Long-Crested Pygmy-Tyrant
<i>Poecilotriccus albifacies</i>	White-Cheeked Tody-Flycatcher
<i>Myiornis ecaudatus</i>	Short-Tailed Pygmy-Tyrant
<i>Hemitriccus flammulatus</i>	Flammulated Pygmy-Tyrant
<i>Hemitriccus griseipectus</i>	White-Bellied Tody-Tyrant
<i>Hemitriccus johannis</i>	Johanne's Tody-Tyrant
<i>Hemitriccus striaticollis</i>	Stripe-Necked Tody-Tyrant
<i>Hemitriccus zosterops</i>	White-Eyed Tody-Tyrant
<i>Hemitriccus rufigularis</i>	Buff-Throated Tody-Tyrant
<i>Todirostrum latirostre</i>	Rusty-Fronted Tody-Flycatcher
<i>Todirostrum chrysocrotaphum</i>	Yellow-Browed Tody-Flycatcher
<i>Todirostrum maculatum</i>	Spotted Tody-Flycatcher
<i>Todirostrum cinereum</i>	Common Tody-Flycatcher
<i>Ramphotrigon fuscicauda</i>	Dusky-Tailed Flatbill
<i>Ramphotrigon megacephala</i>	Large-Headed Flatbill
<i>Ramphotrigon ruficauda</i>	Rufous-Tailed Flatbill
<i>Rhynchocyclus olivaceus</i>	Olivaceous Flatbill
<i>Tolmomyias assimilis</i>	Yellow-Margined Flycatcher
<i>Tolmomyias poliocephalus</i>	Gray-Crowned Flycatcher
<i>Tolomomyias flaviventris</i>	Yellow-Breasted Flycatcher
<i>Platyrinchus coronatus</i>	Golden-Crowned Spadebill
<i>Platyrinchus platyrhynchus</i>	White-Crested Spadebill
<i>Onychorhynchus coronatus</i>	Royal Flycatcher
<i>Terenotriccus erythrus</i>	Ruddy-Tailed Flycatcher
<i>Mylobius barbatus</i>	Sulphur-Rumped Flycatcher
<i>Myiotriccus ornatus</i>	Ornate Flycatcher
<i>Myiophobus fasciatus</i>	Bran-Colored Flycatcher
<i>Contopus borealis</i>	Olive-Sided Flycatcher
<i>Contopus virens</i>	Eastern Wood-Pewee
<i>Empidonax alnorum</i>	Alder Flycatcher
<i>Cnemotriccus fuscatus</i>	Fuscous Flycatcher
<i>Pyrocephalus rubinus</i>	Vermilion Flycatcher
<i>Lathrotriccus euleri</i>	Euler's Flycatcher
<i>Ochthoeca littoralis</i>	Drab Water Tyrant

<i>Muscisaxicola fluviatilis</i>	Little Ground-Tyrant
<i>Knipolegus species</i>	Black Tyrant
<i>Hymenops perspicillata</i>	Spectacled Tyrant
<i>Fluvicola pica</i>	Pied Water-Tyrant
<i>Satrapa icterophrys</i>	Yellow-Browed Tyrant
<i>Colonia colonus</i>	Long-Tailed Tyrant
<i>Attila cinnamomeus</i>	Cinamon Attila
<i>Attila bolivianus</i>	White-Eyed Attila
<i>Attila spadiceus</i>	Bright-Rumped Attila
<i>Casiornis rufa</i>	Rufous Casiornis
<i>Rhytipterna simplex</i>	Grayish Mourner
<i>Laniocera hypopyrrha</i>	Cinereous Mourner
<i>Sirystes sibilator</i>	Sirystes
<i>Myiarchus tuberculifer</i>	Dusky-Capped Flycatcher
<i>Myiarchus swainsoni</i>	Swainson's Flycatcher
<i>Myiarchus ferox</i>	Short-Crested Flycatcher
<i>Myiarchus tyrannulus</i>	Brown-Crested Flycatcher
<i>Pitangus lictor</i>	Lesser Kiskadee
<i>Pitangus sulphuratus</i>	Great Kiskadee
<i>Megarhynchus pitangua</i>	Boat-Billed Flycatcher
<i>Myiozetetes cayanensis</i>	Rusty-Margined Flycatcher
<i>Myiozetetes similis</i>	Social Flycatcher
<i>Myiozetetes granadensis</i>	Green-Capped Flycatcher
<i>Myiozetetes luteiventris</i>	Dusky-Chested Flycatcher
<i>Myiodynastes maculatus</i>	Streaked Flycatcher
<i>Myiodynastes luteiventris</i>	Sulphur-Bellied Flycatcher
<i>Myiodynastes chrysocephalus</i>	Golden-Crowned Flycatcher
<i>Myiornis albiventris</i>	White-Breasted Pygmy-Tyrant
<i>Ochthornis littoralis</i>	Drab Water-Tyrant
<i>Conopias trivirgata</i>	Three-Striped Flycatcher
<i>Pyrrhomyias cinnamomea</i>	Cinnamon Flycatcher
<i>Sayornis nigricans</i>	Black Phoebe
<i>Legatus leucophaeus</i>	Piratic Flycatcher
<i>Empidonomus aurantioatrocristatus</i>	Crowned Slaty-Flycatcher
<i>Empidonomus varius</i>	Variegated Flycatcher
<i>Tyrannopsis sulphurea</i>	Sulphury Flycatcher
<i>Tyrannus melancholicus</i>	Tropical Kingbird
<i>Tyrannus savanna</i>	Fork-Tailed Flycatcher
<i>Tyrannus tyrannus</i>	Eastern Kingbird
<i>Pachyramphus castaneus</i>	Chestnut-Crowned Becard
<i>Pachyramphus polychopterus</i>	White-Winged Becard
<i>Pachyramphus marginatus</i>	Black-Capped Becard
<i>Pachyramphus minor</i>	Pink-Throated Becard
<i>Tityra cayana</i>	Black-Tailed Tityra
<i>Tityra semifasciata</i>	Masked Tityra
<i>Tityra inquisitor</i>	Black-Crowned Tityra
	Manakins
<i>Piprites chloris</i>	Wing-Barred Manakin

Schiffornis major	Varzea Mourner
Schiffornis turdinus	Thrush-Like Mourner
Neopipo cinnamomea	Cinnamon Manakin
Xenopipo atronitens	Black Manakin
Tyraneutes stolzmanni	Dwarf Tyrant-Manakin
Neopelma sulphureiventer	Sulphur-Bellied Tyrant-Manakin
Machaeropterus pyrocephalus	Fiery-Capped Manakin
Pipra fasciicauda	Band-Tailed Manakin
Pipra coronata	Blue-Crowned Manakin
Pipra rubrocapilla	Red-Headed Manakin
Pipra chloromeras	Round-Tailed Manakin
Chiroxiphia boliviana	Yungas Manakin
Chloropipo holochlora	Green Manakin
	Cotingas, Fruiteaters
Lipaugus vociferans	Screaming Piha
Lodopleura isabellae	White-Browed PurpleTuft
Porphyrolaema porphyrolaema	Purple-Throated Cotinga
Cotinga maynana	Plum-Throated Cotinga
Cotinga cayana	Spangled Cotinga
Oxyruncus cristatus	SharpBill
Cephalopterus ornatus	Amazonian UmbrellaBird
Pipreola chlorolepidota	Fiery-Throated Fruiteater
Gymnoderus foetidus	Bare-Necked FruitCrow
Querula purpurata	Purple-Throated FruitCrow
	Swallows, Martins
Tachycineta albiventer	White-Winged Swallow
Tachycineta leucorroha	White-Rumped Swallow
Phaeprogne tapera	Brown-Chested Martin
Progne chalybea	Gray-Breasted Martin
Progne modesta	Southern Martin
Notiochelidon cyanoleuca	Blue & White Swallow
Atticora fasciata	White-Banded Swallow
Atticora melanoleuca	Black-Collared Swallow
Neochelidon tibialis	White-Thighed Swallow
Stelgidopteryx fucata	Tawny-Headed Swallow
Riparia riparia	Bank Swallow
Stelgidopteryx ruficollis	Southern Rough-Winged Swallow
Hirundo rustica	Barn Swallow
Hirundo pyrrhonota	Cliff Swallow
	Jays
Cyanocorax violaceus	Violaceous Jay
Cyanocorax cyanomelas	Purplish Jay
	Wrens
Campylorhynchus turdinus	Thrush-Like Wren
Thryothorus genibarbis	Moustached Wren
Thryothorus leucotis	Buff-Breasted Wren
Thryothorus guarayanus	Fawn-Breasted Wren
Troglodytes aedon	House Wren

Microcerculus marginatus	Nightingale Wren
Cyphorhinus aradus	Musician Wren
	MockingBirds
Donacobius atricapillus	Black-Capped MockingThrush
	Thrushes
Catharus ustulatus	Swainson's Thrush
Catharus fuscescens	Veery
Catharus minimus	Gray-Cheeked Thrush
Turdus amaurochalinus	Creamy-Bellied Thrush
Turdus ignobilis	Black-Billed Thrush
Turdus lawrencii	Lawrence's Thrush
Turdus hauxwelli	Hauxwell's Thrush
Turdus albicollis	White-Necked Thrush
	Finches,American Sparrows,Cardinals,Saltators
Ammodramus aurifrons	Yellow-Browed Sparrow
Sporophila luctuosa	Black & White SeeDeater
Sporophila caerulecens	Double-Collared SeeDeater
Sporophila castaneiventris	Chesnut-Bellied SeeDeater
Sporophila schistacea	Slate-Colored SeeDeater
Sporophila lineola	Lined SeeDeater
Sporophila bouvronides	Lesson's SeeDeater
Sporophila nigricollis	Yellow-Bellied SeeDeater
Sporophila leucoptera	White-Bellied SeeDeater
Arremon taciturnus	Pectoral Sparrow
Saltator maximus	Buff-Throated Saltator
Saltator coerulescens	Grayish Saltator
Oryzoborus maximiliani	Great-Billed Seed-Finch
Oryzoborus angolensis	Lesser Seed-Finch
Volatinia jacarina	Blue-Black Grassquit
Pitylus grossus	Slate-Colored GrosBeak
Paroaria gularis	Red-Capped Cardinal
Pheucticus aureoventris	Black-Backed GrosBeak
Cyanocompsa cyanoides	Blue-Black GrosBeak
Caryothraustes humeralis	Yellow-Shouldered GrosBeak
	Swallow-Tanagers
Tersina viridis	Swallow-Tanager
	Tanagers,Euphonias
Cissopis leveriana	Magpie Tanager
Lamprospiza melanoleuca	Red-Billed Pied Tanager
Thlypopsis sordida	Orange-Headed Tanager
Conothraupis speculigera	Black & White Tanager
Hemithraupis guira	Guira Tanager
Hemithraupis flavicollis	Yellow-Backed Tanager
Nemosia pileata	Hooded Tanager
Eucometis penicillata	Gray-Headed Tanager
Tachyphonus luctuosus	White-Shouldered Tanager
Tachyphonus cristatus	Flame-Crested Tanager
Tachyphonus surinamus	Fulvous-Crested Tanager

<i>Habia rubica</i>	Red-Crowned Ant-Tanager
<i>Ramphocelus nigrogularis</i>	Masked Crimson Tanager
<i>Ramphocelus carbo</i>	Silver-Beaked Tanager
<i>Lanio versicolor</i>	White-Winged Shrike-Tanager
<i>Thraupis episcopus</i>	Blue-Gray Tanager
<i>Thraupis sayaca</i>	Sayaca Tanager
<i>Thraupis palmerum</i>	Palm Tanager
<i>Piranga olivacea</i>	Scarlet Tanager
<i>Euphonia laniirostris</i>	Thick-Billed Euphonia
<i>Euphonia chrysopasta</i>	White-Lored Euphonia
<i>Euphonia minuta</i>	White-Vented Euphonia
<i>Euphonia musica</i>	Blue-Hooded Euphonia
<i>Euphonia xanthogaster</i>	Orange-Bellied Euphonia
<i>Euphonia rufiventris</i>	Rufous-Bellied Euphonia
<i>Tangara mexicana</i>	Turquoise Tanager
<i>Tangara chilensis</i>	Paradise Tanager
<i>Tangara schrankii</i>	Green & Gold Tanager
<i>Tangara nigrocincta</i>	Masked Tanager
<i>Tangara velia</i>	Opal-Rumped Tanager
<i>Tangara callophrys</i>	Opal-Crowned Tanager
<i>Tangara xanthogastra</i>	Yellow-Bellied Tanager
<i>Tangara gyrola</i>	Bay-Headed Tanager
<i>Tangara cyanicollis</i>	Blue-Necked Tanager
<i>Tangara arthus</i>	Golden Tanager
<i>Chlorophonia cyanea</i>	Blue-Naped Chlorophonia
<i>Chlorospingus canigularis</i>	Ash-Throated Bush-Tanager
<i>Chlorothraupis carmioli</i>	Olive Tanager
<i>Tachyphonus rufiventer</i>	Yellow-Crested Tanager
<i>Piranga flava</i>	Hepatic Tanager
<i>Pipraeidea melonota</i>	Fawn-Breasted Tanager
<i>Dacnis lineata</i>	Black-Faced Dacnis
<i>Dacnis flaviventer</i>	Yellow-Bellied Dacnis
<i>Dacnis cayana</i>	Blue Dacnis
<i>Chlorophanes spiza</i>	Green HoneyCreeper
<i>Cyanerpes caeruleus</i>	Purple HoneyCreeper
<i>Cyanerpes cyaneus</i>	Red-Legged HoneyCreeper
	Wood-Warblers
<i>Basileuterus rivularis</i>	River Warbler
<i>Dendroica striata</i>	Blackpoll Warbler
<i>Parula pitiayumi</i>	Tropical Parula
<i>Geothlypis aequinoctialis</i>	Masked YellowThroat
<i>Basileuterus chrysogaster</i>	Golden-Bellied Warbler
<i>Phaeothlypis rivularis</i>	River Warbler
<i>Myioborus miniatus</i>	Slate-Throated RedStart(WhiteStart)
<i>Oporornis agilis</i>	Connecticut Warbler
<i>Wilsonia canadensis</i>	Canada Warbler
<i>Basileuterus fulvicauda</i>	Buff-Rumped Warbler
	Vireos,GreenLets,Peppershrikes

Vireo olivaceus	Red-Eyed Vireo
Hylophilus hypoxanthus	Dusky-Capped GreenLet
Hylophilus thoracicus	Lemon-Chested GreenLet
Hylophilus ochraceiceps	Tawny-Crowned GreenLet
Cyclarhis gujanensis	Rufous-Browed Peppershrike
	Oropendolas,American Orioles,Blackbirds
Psarocolius oseryi	Casqued Oropendola
Psarocolius decumanus	Crested Oropendola
Psarocolius angustifrons	Russet-Backed Oropendola
Psarocolius bifasciatus	Olive Oropendola
Amblycercus holosericeus	Yellow-Billed Cacique
Cacicus cela	Yellow-Rumped Cacique
Cacicus haemorrhous	Red-Rumped Cacique
Cacicus solitarius	Solitary Black Cacique
Icterus cayanensis	Epaulet Oriole
Icterus icterus	Troupial
Scaphidura oryzivora	Giant CowBird
Molothrus bonariensis	Shiny CowBird
Agelaius xanthophthalmus	Pale-Eyed BlackBird
Sturnella supercilialis	White-Browed BlackBird
Dolichonyx oryzivorous	Bobolink
Ramphocaenus melanurus	Long-Billed GnatWren
Microbates cinereiventris	Half-Collared(Tawny-Faced) GnatWren